




種 目 側 溝 品 名 自由勾配側溝(AVS) 500集水孔付 規 格 500×400×~1400 備 考









● 寸法許容差

許容差	В·а	H•с	d∙e	c'	L	
(mm)	±7	± 5	+3 2	±3	± 5	

呼び名	寸 法 (mm)					側壁部配筋(片側当り) 参考 エカ筋 配力筋			参考質量	曲げ強さ 荷重P		
(a×c)	Н	a′	ď′	e	h	s	<u>工</u> 径(mm)	数	径(mm)	数数	(kg)	(kN/片梁)
500× 400	575	481	54. 5	60	160	40	5.0	13	4	545_	30.5	
× 500	675							14	3.2	3. 2 5	600	31.0
× 600	775	477		٦,	170		""	19	- ""		715	30.0
× 700 × 800	875 975	477	56.5	70	170	50		20		6	780 845	30.5
× 900	1075							13		7	1040	
× 1000	1175	472	59.0	85	180	60		16] , ,	8	1120	29.0
× 1100	1275						D 6	18	4.0	9	1200_	
× 1200	1375							19]		1390	28.0
× 1300	1475	468	61.0	95	190	70		22		10	1480	27.5
× 1400	1575					l	D10	1.3	5.0	. 0	1570	27.0